EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"6157106"	US-PGPUB	OR	ON	2008/10/27 14:27
L3	10	"6157103"	USPAT	OR	ON	2008/10/27 14:27
S1	1918	310/91.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 12:19
S2	13	((KENTA) near2 (HATANO)).INV.	US-PGPUB; USPAT	OR	ON	2008/10/24 12:20
S3	11	((KENTA) near2 (HATANO)).INV.	EPO; JPO; DERWENT	OR	ON	2008/10/24 12:22
S4	64	((SOTSUO) near2 (MIYOSHI)).INV.	US-PGPUB; USPAT	OR	ON	2008/10/24 12:23
S5	112	((SOTSUO) near2 (MIYOSHI)).INV.	EPO; JPO; DERWENT	OR	ON	2008/10/24 12:30
S6	15	(US-20040070292-$ or US-20010002546-$).did. or (US-6488259-$ or US-6473958-$ or US-6412753-$ or US-6396175-$ or US-6302090-$ or US-5351935-$).did. or (EP-1310661-$ or EP-1310660-$ or WO-3026124-$ or WO-3026123-$ or EP-1174614-$ or EP-1154550-$ or EP-1154549-$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/10/24 13:39
S7	5	S6 and mold$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:39
S8	3	S6 and metal$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:39

S9	7	S6 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S10	6	S6 and member	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S11	1	S7 and S8 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S12	0	S6 and metal near bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:41
S13	0	S6 and metal$5 near bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:41
S14	46	(US-20080247694-$ or US-20060244323-$ or US-20060278204-$ or US-20060238047-$ or US-20050199847-$ or US-20050012415-$ or US-20040070292-$ or US-20040040798-$ or US-20010002546-$). did. or (US-7358632-$ or US-7274122-$ or US-6913122-$ or US-6737771-$ or US-6546920-$ or US-6488259-$ or US-6473958-$ or US-6412753-$ or US-6396175-$ or US-6302090-$ or US-6279552-$ or US-5351935-$).did. or (WO-2007111031-$ or	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/24 13:41

		WO-2005124970-$ or EP-1310661-$ or EP-1310660-$ or WO-3026124-$ or WO-3026123-$ or WO-3026122-$ or WO-3019749-$ or EP-1174614-$ or EP-1256706-$ or EP-1154550-$ or EP-1154549-$ or EP-1113569-$ or EP-1089416-$ or EP-1059433-$ or EP-1018599-$ or EP-1010887-$ or EP-985817-$ or EP-978931-$ or WO-9963256-$ or WO-9957428-$ or EP-743477-$ or EP-687842-$).did. or (JP-2006005987-$ or JP-2005257047-$).did.				
S15	46	(US-20080247694-$ or US-20060244323-$ or US-20060278204-$ or US-20060238047-$ or US-20050199847-$ or US-20050012415-$ or US-20040070292-$ or US-20040040798-$ or US-20010002546-$). did. or (US-7358632-$ or US-7274122-$ or US-6913122-$ or US-6737771-$ or US-6546920-$ or US-6488259-$ or US-6473958-$ or US-6412753-$ or US-6396175-$ or US-6302090-$ or US-6279552-$ or US-5351935-$).did. or (WO-2007111031-$ or WO-2005124970-$ or EP-1310661-$ or EP-1310660-$ or WO-3026124-$ or WO-3026123-$ or WO-3026122-$ or WO-3019749-$ or EP-1174614-$ or EP-	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/10/24 14:06

		1256706-$ or EP-1154550-$ or EP-1154549-$ or EP-1113569-$ or EP-1089416-$ or EP-1059433-$ or EP-1018599-$ or EP-1010887-$ or EP-985817-$ or EP-978931-$ or WO-9963256-$ or WO-9957428-$ or EP-743477-$ or EP-687842-$).did. or (JP-2006005987-$ or JP-2005257047-$).did.				
S16	1918	310/91.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S17	846	S16 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S18	21	S15 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S19	4	S15 and bearing and metal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S20	3	310/91.ccls. and mold $5 adj rotor and bearing and metal$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:10
S21	3	310/91.ccls. and (mold $5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:11

S22	8	310/90.ccls. and (mold $5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:23
S23	0	"310"/$.ccls. and egr and (mold$5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:31
S24	0	"310"/$.ccls. and egr and (mold$5 adj rotor) and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:31
S25	26	"310"/$.ccls. and egr and bearing and (support holder spacer bracket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:32
S26	21	("1379334" | "2744202" | "3845334" | "4529900" | "4850812" | "5053664" | "5256924" | "5565721" | "5714820" | "6065946" | "6268669" | "6333576" | "6462450").PN. OR ("6753629").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:46
S27	9	("20020030415" | "4866317" | "4902941" | "5073735" | "5394043" | "5532533" | "5610458" | "5770902" | "6753629").PN. OR ("7061146").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:51
S28	3181	310/9$.ccls. and bearing same support	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:54

S29	1773	310/9$.ccls. and bearing same support	USPAT	OR	ON	2008/10/24 14:54
S30	292	310/91.ccls. and bearing same support	USPAT	OR	ON	2008/10/24 14:54
S31	6	310/9$.ccls. and bearing same support and molded adj rotor	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:54
S32	9	310/9$.ccls. and bearing and(support insert bracket spacer holder) and molded adj rotor	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:57
S33	18	("4378767" | "4378768" | "4381747" | "4397275" | "4414942" | "4432318" | "4938614" | "5058625" | "5099161" | "5184593" | "5298822" | "5451824" | "5501201" | "5718259" | "5769390").PN. OR ("6365994").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:10
S34	10	("4549823" | "4880207").PN. OR ("4938614").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:17
S35	13	("4378767" | "4378768" | "4381747" | "4397275" | "4414942" | "4432318" | "4938614" | "5184593" | "5501201" | "5718259" | "5769390").PN. OR ("6378839").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:19
S36	384	384/428.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 15:24

S37	1	S16 and bearing same metal adj (insert support)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 15:59
S38	5	S16 and bearing same metal adj (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 16:01
S39	30	(US-20040070292-$ or US-20010002546-$ or US-20010050346-$ or US-20030011257-$). did. or (US-6488259-$ or US-6473958-$ or US-6412753-$ or US-6396175-$ or US-6302090-$ or US-5351935-$ or US-6753629-$ or US-7061146-$ or US-4947539-$ or US-6365994-$ or US-5769390-$ or US-4938614-$ or US-6378839-$ or US-4378767-$ or US-4378768-$ or US-1772778-$ or US-6353274-$ or US-5977675-$).did. or (EP-1310661-$ or EP-1310660-$ or WO-3026124-$ or WO-3026123-$ or EP-1174614-$ or EP-1154550-$ or EP-1154549-$ or DE-3706226-$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/10/26 15:25
S40	1	S39 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:25
S41	4	S39 and mold and rotor and metal and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:27

S42	0	S39 and bearing same metal adj (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:31
S43	0	S39 and bearing same metal near (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:31
S44	0	S39 and bearing same metal with (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:32
S45	2	S39 and bearing same metal same (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:32
S46	61	"310"/$.ccls. and bearing same metal adj (insert support bracket spacer holder stop$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S47	58	"310"/$.ccls. and bearing same metal adj (insert support bracket holder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S48	51	"310"/$.ccls. and bearing same metal adj (insert support holder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S49	26	"310"/$.ccls. and bearing same metal adj (insert)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S50	15	"310"/$.ccls. and bearing same metal adj (insert)	USPAT	OR	ON	2008/10/26 15:34
S51	28	("2814744" | "3256590" | "3319093" | "3720914" | "3740598" | "3858070").PN. OR ("4048530").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:38

S52	11	("3757147" | "4048530" | "4944611" | "4980587").PN. OR ("5166565").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:42
S53	3	"310"/$.ccls. and bearing near retainer near metal	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:54
S54	1	"10567121"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 16:01
S55	0	molded adj rotor near metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:32
S56	2	molded adj rotor same metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:32
S57	1	molded adj rotor and bearing same metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:32
S58	1	molded adj rotor and bearing same metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:33
S59	4	molded adj rotor and bearing and metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:33
S60	4487	bearing same metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34

S61	77	bearing adj metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34
S62	0	S61 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34
S63	67	bearing adj metal adj (insert stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:35
S64	29	bearing adj metal adj (insert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:35
S65	38	S63 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:39
S66	35	(US-20040070292-$ or US-20010002546-$ or US-20010050346-$ or US-20030011257-$). did. or (US-6488259-$ or US-6473958-$ or US-6412753-$ or US-6396175-$ or US-6302090-$ or US-5351935-$ or US-6753629-$ or US-7061146-$ or US-4947539-$ or US-6365994-$ or US-5769390-$ or US-4938614-$ or US-6378839-$ or US-4378767-$ or US-4378768-$ or US-1772778-$ or US-6353274-$ or US-5977675-$ or US-	US-PGPUB; USPAT; EPO	OR	ON	2008/10/27 10:43

		5975234-$ or US-4048530-$ or US-5166565-$ or US-5788210-$ or US-5831360-$).did. or (EP-1310661-$ or EP-1310660-$ or WO-3026124-$ or WO-3026123-$ or EP-1174614-$ or EP-1154550-$ or EP-1154549-$ or DE-3706226-$).did.				
S67	1	S66 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
S68	1	S66 and mold$4 adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
S69	1	S66 and mold$4 near rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
S70	1	"10567121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:45
S71	2	"20010002546"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:45
S72	4	"5831360"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:54

S73	9	"5166565"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:04
S74	8	"5166565"	USPAT	OR	ON	2008/10/27 11:04
S75	15	"4340830"	USPAT	OR	ON	2008/10/27 11:49
S76	426	bearing adj (insert support) same (concave convex)	USPAT	OR	ON	2008/10/27 11:50
S77	0	S76 and mold$3 adj rotor	USPAT	OR	ON	2008/10/27 11:51
S78	66	S76 and molded	USPAT	OR	ON	2008/10/27 11:51
S79	17	S76 and molded and rotor	USPAT	OR	ON	2008/10/27 11:51
S80	91	bearing adj (insert) same(concave convex)	USPAT	OR	ON	2008/10/27 12:11
S81	14	bearing adj (insert) near(concave convex)	USPAT	OR	ON	2008/10/27 12:11
S82	0	"2001002546"	USPAT	OR	ON	2008/10/27 12:15
S83	0	"2001002546"	US-PGPUB	OR	ON	2008/10/27 12:15
S84	1	"20010002546"	US-PGPUB	OR	ON	2008/10/27 12:15
S85	1	"20050082918"	US-PGPUB	OR	ON	2008/10/27 12:16

10/27/2008 2:30:41 PM
C:\ Documents and Settings\ ndesai\ My Documents\ EAST\ Workspaces\ 10567121.wsp